#### DESCRIPTION

Certified Rodent Diet is a formulation that has yielded highly favorable results for the maintenance, growth and reproduction of rats and mice. This diet is formulated using managed formulation, delivering Constant Nutrition®. This is paired with the selection of highest quality ingredients to assure minimal inherent biological variation in long-term studies. A sample of this product will have been assayed and approved prior to shipment to assure GLP compliance.

### Features and Benefits

- Managed Formulation delivers Constant Nutrition®
- High quality animal protein added to create a superior balance of amino acids for optimum performance
- Each package is assayed for environmental contaminants prior to shipment
- Preanalysis monitoring, Constant Nutrition® formulation, along with selection of highest quality ingredients, assures maximum diet control
- Fulfills GLP requirements

#### **Product Forms Available**

- Oval pellet, 10 mm x 16 mm x 25 mm length (3/8"x5/8"x1")
- Meal (ground pellets)

## GUARANTEED ANALYSIS

Crude protein not less than
Crude fat not less than
Crude fiber not more than5.5%
Ash not more than
Moisture not more than

#### INGREDIENTS

Ground corn, dehulled soybean meal, whole wheat, fish meal, wheat middlings, dried beet pulp, wheat germ, cane molasses, brewers dried yeast, ground oats, soybean oil, dehydrated alfalfa meal, ground soybean hulls, whey, calcium carbonate, casein, salt, choline chloride, DL-methionine, menadione dimethylpyrimidinol bisulfite (source of vitamin K), cholecalciferol, vitamin A acetate, pyridoxine hydrochloride, biotin, dlalpha tocopheryl acetate (form of vitamin E), dicalcium phosphate, folic acid, thiamine mononitrate, vitamin B<sub>12</sub> supplement, nicotinic acid, calcium pantothenate, riboflavin supplement, manganous oxide, zinc oxide, ferrous carbonate, copper sulfate, zinc sulfate, calcium iodate, cobalt carbonate, sodium selenite.

#### FEEDING DIRECTIONS

Feed ad libitum to rodents. Plenty of fresh, clean water should be available to the animals at all times.

Rats- All rats will eat varying amounts of feed depending on their genetic origin. Larger strains will eat up to 30 grams per day. Smaller strains will eat up to 15 grams per day. Feeders in rat cages should be designed to hold two to three days supply of feed at one time.

*Mice*-Adult mice will eat up to 5 grams of pelleted ration daily. Some of the larger strains may eat as much as 8 grams per day per animal. Feed should be available on a free choice basis in wire feeders above the floor of the cage.

*Hamsters*-Adults will eat up to 14 grams per day.

For information regarding shelf life please visit www.labdiet.com.

# CHEMICAL COMPOSITION 1

CHEMICAL COMPO	SITION¹
Nutrients <sup>2</sup>	Sulfur, %
Protein, %	Sodium, %
Arginine, %	Chloride, %
Cystine, %	Fluorine, ppm
Glycine, %	Iron, ppm
Histidine, %	Zinc, ppm
Isoleucine, %	Manganese, ppm
Leucine, %	Copper, ppm
Lysine, %	Cobalt, ppm
Methionine, %	Iodine, ppm
Phenylalanine, %	Chromium (added), ppm 0.01
Tyrosine, %	Selenium, ppm
Threonine, %	
Tryptophan, %	Vitamins
Valine, %	Carotene, ppm
Serine, %	Vitamin K,ppm
Aspartic Acid, %2.20	Thiamin Hydrochloride, ppm15
Glutamic Acid, % 4.16	Riboflavin, ppm 8.1
Alanine, %	Niacin, ppm
Proline, %	Pantothenic Acid, ppm
Taurine, %	Choline Chloride, ppm 2000
Fat (ether extract), %5.0	Folic Acid, ppm
Fat (acid hydrolysis), %6.3	Pyridoxine, ppm 6.0
Cholesterol, ppm	Biotin, ppm
Linoleic Acid, %	B <sub>12</sub> , mcg/kg
Linolenic Acid, %	Vitamin A, IU/gm
Arachidonic Acid, % < 0.01	Vitamin $D_3$ (added), $IU/gm \dots 2.3$
Omega-3 Fatty Acids, % 0.42	Vitamin E, IU/kg
Total Saturated Fatty Acids, % .0.92	, i.e., i.g
Total Monounsaturated	Calories provided by:
Fatty Acids, %	Protein, %
Fiber (Crude), % 4.6	Fat (ether extract), % 13.117
Neutral Detergent Fiber <sup>3</sup> , % 15.5	Carbohydrates, %
Acid Detergent Fiber <sup>4</sup> , % 6.0	*Product Code
Nitrogen-Free Extract	1. Formulation based on calculated
(by difference), %53.8	values from the latest ingredient
Starch, %	analysis information. Since nutri-
Glucose, %	ent composition of natural ingre-
Fructose, %	dients varies and some nutrient
Sucrose, %	loss will occur due to manufac-
Lactose, %	turing processes, analysis will
Total Digestible Nutrients, % .75.6	differ accordingly.
Gross Energy, kcal/gm4.11	2. Nutrients expressed as percent of
Physiological Fuel Value <sup>5</sup> ,	ration except where otherwise
kcal/gm3.43	indicated. Moisture content is
Metabolizable Energy,	assumed to be 10.0% for the
kcal/gm3.04	purpose of calculations.  3 NDE = approximately cellulose
iom/ giii · · · · · · · · · · · · · · · · ·	3. NDF = approximately cellulose, hemi-cellulose and lignin

Minerals

Phosphorus (non-phytate), % . .0.32

# except where otherwise ed. Moisture content is d to be 10.0% for the e of calculations.

- approximately cellulose, hemi-cellulose and lignin.
- 4. ADF = approximately celluloseand lignin.
- 5. Physiological Fuel Value (kcal/gm) = Sum of decimalfractions of protein, fat and carbo- hydrate (use Nitrogen Free Extract) x 4,9,4 kcal/gm respectively.

